


Size : 92 x 45 mm



For batch detail
Printing

Batch No./
Lot No.: XXXXXX
Mfg. / Fab.: mmm/yyyy
Exp. / Pér.: mmm/yyyy

For Reference Only


unwind direction of label roll



CMO - ARTWORK DETAIL LABEL

			MFG. LOCATION		Sakar Health Care Ltd.		
PRODUCT	Lorhist Suspension - 5 mg / 5 ml						
BUYER/COUNTRY	French Africa			COMPONENT	Label		
DIMENSION	Size : 92 x 45 mm				PACK	60 ml	
NEW ITEM CODE	1038545			OLD ITEM CODE	NA		
COLOUR SHADES	 PANTONE 688 CV	 PANTONE 688 CV 25%	 BLACK	 PANTONE Green C	No. of Colours	3	
Change Control No.	PC-CM2/2019/024 Record Number: 232203				Artwork Version	1.0	
Design/Style	Self Adhesive labels in roll-form with rounded corners.						
Substrate	Sticker Label (Die Cut) 75 GSM Chromo Art (Every Raflatrac) 15 GSM adhesive / 62 GSM release paper / UV Varnish						
Special Instructions	Printing clarity to clear and sharp.						
Autocartonator Requirements	NA						
Caution to the printer: Before processing, please ensure that the ARTWORK received for printing is exactly in line with APPROVED ARTWORK provided to you. In case of any FONTS/DESIGN are Mis-matching with the APPROVED ARTWORK, please inform SCM / PD for further action. DO NOT MAKE ANY CHANGE TO THE ARTWORK WITHOUT WRITTEN INSTRUCTIONS FROM SCM / PD.							

RD/PD/008/F-01/R0



CMO - ARTWORK DETAIL LABEL

		MFG. LOCATION	Sakar Health Care Ltd.		
PRODUCT	Lorhist Suspension - 5 mg / 5 ml				
BUYER/COUNTRY	French Africa		COMPONENT	Carton	
DIMENSION	Size : 40 x 40 x 100 mm			PACK	60 ml
NEW ITEM CODE	1038544		OLD ITEM CODE	NA	
COLOUR SHADES	 PANTONE 688 CV	 PANTONE 688 CV 25%	 BLACK	 PANTONE Green C	No. of Colours 3
Change Control No.	PC-CM2/2019/024 Record Number: 232203			Artwork Version	1.0
Design/Style	BOTTOM LOCK PASTING				
Substrate	296 GSM FBB BOARD with UV Varnish. Board thickness in microns 453				
Special Instructions	Printing clarity to clear and sharp.				
Autocartonator Requirements	NA				
Caution to the printer: Before processing, please ensure that the ARTWORK received for printing is exactly in line with APPROVED ARTWORK provided to you. In case of any FONTS/DESIGN are Mis-matching with the APPROVED ARTWORK, please inform SCM / PD for further action. DO NOT MAKE ANY CHANGE TO THE ARTWORK WITHOUT WRITTEN INSTRUCTIONS FROM SCM / PD.					