



Khokha Packaging & Design

Manufacturers of :
Folding Box, Cartons, Brochers, Calenders, Dangers, POP & Stickers.
Plant : Plot No. 15, Gensis Ind. Complex, Phase I, Village Kolgaon,
Plaghar - 401 404. Dist. Thane. (INDIA).
Tel.: 9223367327
E-mail : samir.shah945@gmail.com Website : www.khokhapackaging.com

Please check below detailed & then give stamp & sign

CURRENT DATE & CORRECTION NUMBER	OLD PRODUCTION FILE DATE	CORRECTION IN WHICH COLOUR	carton size:
21-01-2021	C2	BLACK	Size : 60(L) X 60(W) x 140(H) mm

N



Lacinil Suspension Carton
Qty : 7500x200 ml



PRESS

Khokha Packaging & Design

Manufacturers of :

Folding Box, Cartons, Brochers, Calenders, Dangers, POP & Stickers.

Plant : Plot No. 15, Gensis Ind. Complex, Phase I, Village Kolgaon,

Plaghar - 401 404, Dist. Thane. (INDIA).

Tel.: 9223367327

E-mail : samir.shah945@gmail.com Website : www.khokhapackaging.com

Please check below detailed & then give stamp & sign

CURRENT DATE & CORRECTION NUMBER	OLD PRODUCTION FILE DATE	CORRECTION IN WHICH COLOUR	carton size:
18-01-2021	C1		Size : 110(L) X 55(H) mm

N

55 mm

Composition :
Each 5 ml Contains :
Dried Aluminum Hydroxide Gel USP 250 mg
(Added as Aluminum Hydroxide Gel Paste)
Magnesium Hydroxide..... USP 250 mg
(Added as Magnesium Hydroxide Paste)
Simethicone USP 50 mg

Colour : Approved Colour Used.

SHAKE WELL BEFORE USE

Keep out of reach of children

Don't Freeze

Store below temperature 30°C

Lacinil Suspension provides effective relief from acidity, indigestion, heartburn & upset stomach.

DOSAGE:

Adults: 2 teaspoonful (10 ml) 3 times a day after meals and at bed time or as directed by physician

Children : As directed by the physician.

Code No : MH/DRUGS/25-KD/312

B.No. / No. Lot :

Mid.Date / Date de Fab :

Exp.Date / Date de Per :

OPZ



Composition:

Chaque mesure de 5 ml contient :
Gel d'hydroxyde d'aluminium déshydraté USP 250 mg
(ajouté sous forme de pâte de gel d'hydroxyde d'aluminium)
Hydroxyde de Magnésium USP 250 mg
(ajouté sous forme de pâte d'hydroxyde de magnésium)
Siméthicone USP 50 mg

Colorant autorisé

Ne pas laisser à la portée des enfants

Bien agiter avant utilisation

Ne pas congeler.

Conserver à une température inférieure à 30 °C

Lacinil suspension procure un soulagement de l'hyperacidité, des troubles digestifs, des brûlures et des maux d'estomac.

Adultes : 10 ml (2 cuillères à café) 3 fois par jour après les repas et au moment du coucher ou comme prescrit par le médecin.

Enfants : comme prescrit par le médecin.

Posologie :

Adultes: deux cuillère à café (10 ml) après repas

et au moment du coucher, ou comme dirige par le medecin.

Enfants: Comme dirige par le medecin.

Voie orale

Titulaire / Exploitant / M.A Holder :

LASO
healthcare pvt ltd
No 34, Potharpu Main Road,
NSC Bose Nagar, Puzos Chenna - 600 116, India.
www.lasopharma.com
Made in India

110 mm

Lacinil Suspension Label

Qty : 7500x200 ml